

Google scholar

mimo multiple local oscillators

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)

Scholar

[Articles and patents](#)[anytime](#)[include citations](#)

Results 11 - 20 of about 3,150. (0.11 sec)

[\[PDF\] A MIMO-OFDM testbed for wireless local area networks](#)[hindawi.com](#) [PDF]

AG i Fabregas, M Guillaud, DTM Stock, G ... - EURASIP Journal on ..., 2006 - hindawi.com
 ... dimension to achieve reliable communication over **multiple-input multiple-output (MIMO)** channels. In particular, the application of such techniques to current wireless communication systems is of great interest. High-throughput communication in indoor wireless **local area** ...

[Cited by 13](#) - [Related articles](#) - [View as HTML](#) - [All 19 versions](#)[\[book\] WCDMA for UMTS: HSPA Evolution and LTE](#)

H Holma, A Toskala - 2007 - books.google.com

... area network LCS Location services LCD Liquid crystal display LO **Local oscillator** LP Low ... filter
 LTE Long-Term Evolution MAC Medium access control MAI **Multiple** access interference ... control
 function MGW Media gateway MHA Mast head amplifier **MIMO Multiple** input **multiple** ...

[Cited by 64](#) - [Related articles](#) - [All 2 versions](#)[Coherent optical multiple-input multiple-output communication](#)[ucla.edu](#) [PDF]

RCJ Hsu, A Shah, B Jalali - IEICE Electronics Express, 2004 - J-STAGE

... In this letter, we extend the true **MIMO** approach to enable **multiple** communication channels ...
 As a proof of concept, we have built a 2×2 coherent optical **MIMO** system operating at ... The
 transmitted signal, S, and **local oscillator**, L, are directed into the commercial Lithium Niobate ...

[Cited by 7](#) - [Related articles](#) - [All 2 versions](#)[Coherent optical mimo \(comimo\)](#)[psu.edu](#) [PDF]

AR Shah, RCJ Hsu, A Tarighat, AH ... - Journal of Lightwave ..., 2005 - opticsinfobase.org

... that allow us to recover data transmitted from **multiple** Tx's and received by **multiple** Rx's. ... We have
 built a proof-of-concept 2×2 coherent optical **MIMO** system as shown in Figs. ... The transmitted
 signal S and the **local oscillator** L are directed into the commercial lithium niobate ...

[Cited by 20](#) - [Related articles](#) - [BI Direct](#) - [All 14 versions](#)[\[PDF\] GEDOMIS: a broadband wireless MIMO-OFDM testbed design and ...](#)[psu.edu](#) [PDF]

X Nieto, LM Ventura, A Molinilla - Testbeds and Research ..., 2006 - Citeseer

... A. Dual-band Multi-channel RF Front-end The building blocks of the dual-band **MIMO** front-end

are shown in Figure 3, where ... must be accounted for in the design of multi-antenna radios: the architecture used for the synthesis and distribution of **multiple local oscillators** and the ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[PDF] [Linear precoding and decoding for **multiple input multiple output \(MIMO\)** ...](#)

[psu.edu](#) [PDF]

H Sampath - 2001 - Citeseer

... and Iospan Wireless, Inc, to develop such systems. Digital cordless telephony is typically employed in **local area/ low mobility appli- ... 45, 35, 21**. This has motivated the research in **MIMO (Multiple-input multiple- output) wireless links**. ...

[Cited by 21](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[PDF] [Performance of a **MIMO** system with overlay pilots](#)

[itb.ac.in](#) [PDF]

V Jungnickel, T Haustein, E Jorswieck, V Pohl, ... - GLOBECOM-NEW ..., 2001 - [itb.ac.in](#)

... with a relatively long Gold sequence pi modulated onto the same **local oscillator (LO)** and ... Research on **MIMO** systems for WLAN applications is being continued in order to ... time architecture for wireless communication in a fading environment when using **multiple antennas**," Bell ...

[Cited by 23](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 2 versions](#)

[PDF] [Broadband **MIMO**-OFDM wireless communications](#)

[psu.edu](#) [PDF]

GL Stuber, JR Barry, SW McLaughlin, YQ LI, MA ... - Proceedings of the ..., 2004 - Citeseer

... can be used at the transmitter and receiver, an arrangement called a **multiple-input mul ...** For a **MIMO** system with and antennas, the pilot sequences can be coded over space ... Do- main—Any frequency offset between the transmitter and the receiver **local oscillators** is reflected in ...

[Cited by 554](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 17 versions](#)

[Carrier frequency offset estimation in BLAST **MIMO** systems](#)

MA McKeown, DGM Cruickshank, IAB Lindsay, JS ... - Electronics ..., 2003 - [link.aip.org](#)

In wireless communications, component tolerances result in carrier frequency offset between transmitter and receiver **local oscillators**. A scheme is proposed to estimate carrier frequency offset in a **multiple input-multiple output (MIMO)** system. ...

[Cited by 9](#) - [Related articles](#) - [BL Direct](#) - [All 2 versions](#)


[PDF] [MIMO wireless communication channel phenomenology](#)

[psu.edu](#) [PDF]

DW Bliss, AM Chan, NB Chang - IEEE Transactions on Antennas and ..., 2004 - Citeseer

... While the advantages of **multiple** receive an- tennas, such as gain and spatial diversity, have been known and ... the ratio of capacity bounds for 0.2, 0.4, and 0.6 for a 4 4 **MIMO** system is displayed. ... transmitters can send independent sequences using a common **local oscillator**. ...

[Cited by 15](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 7 versions](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

mimo multiple local oscillators

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google